

# 80 PLUS Verification and Testing Report


<b>TYPICAL EFFICIENCY (50% Load):</b>	<b>84.67%</b>
<b>AVERAGE EFFICIENCY :</b>	<b>82.64%</b>
<b>80 PLUS COMPLIANT:</b>	<b>YES</b>



<b>Ecos ID #</b>	533
<b>Manufacturer</b>	Everest
<b>Model Number</b>	Everest 80 Plus 500+
<b>Serial Number</b>	NA
<b>Year</b>	2008
<b>Type</b>	ATX12V & EPS12V
<b>Test Date</b>	3/5/2008



Rated Specifications	Value	Units
Input Voltage	100-240	Volts
Input Current	8	Amps
Input Frequency	50-60	Hz
<b>Rated Output Power</b>	<b>500</b>	<b>Watts</b>

Note: All measurements were taken with input voltage at 115 V nominal and 60 Hz.



Input AC Current Waveform (ITHD = 15.94%, 50% Load)

I <sub>RMS</sub> A	PF	I <sub>THD</sub> (%)	Load (%)	Fraction of Load	Input Watts	DC Terminal Voltage (V)/ DC Load Current (A)					Output Watts	Efficiency %
						12V (cumulative of 12V1, 12V2, etc.)	-12V	3.3V	5V*	5VSB		
1.11	0.98	21.1%	20%	Light	125	12.2/5.3	12.1/0.2	3.3/4.1	5.1/3.4	5.1/0.6	101	81.37%
2.64	0.98	15.9%	50%	Typical	299	12.2/13.4	12.1/0.5	3.3/10.4	5/8.6	4.9/1.5	253	84.67%
5.35	0.99	10.5%	100%	Full	611	12.2/26.8	12.1/0.8	3.2/20.6	4.9/17.3	4.8/3.1	500	81.86%



These tests were conducted by a third party independent testing firm on behalf of the 80 PLUS® Program. 80 PLUS is a certification program to promote highly-efficient power supplies (greater than 80% efficiency in the active mode) in technology applications. <http://www.80plus.org/>

